

Collaborative Staging Codes**Corpus Uteri; Uterus, NOS (excluding Placenta)****C54.0-C54.3, C54.8-C54.9, C55.9**

C54.0 Isthmus uteri

C54.1 Endometrium

C54.2 Myometrium

C54.3 Fundus uteri

C54.8 Overlapping lesion of corpus uteri

C54.9 Corpus uteri

C55.9 Uterus, NOS

Corpus Uteri; Uterus, NOS (excluding Placenta)**CS Tumor Size****SEE STANDARD TABLE****Corpus Uteri; Uterus, NOS (excluding Placenta)****CS Extension (Revised: 01/25/2005)**

Note 1: According to the AJCC, extension to the bowel or bladder mucosa must be proven by biopsy in order to rule out bullous edema.

Note 2: Since "cancer cells in ascites or in peritoneal washings" was not specifically categorized in the 1977 Summary Stage Guide, is unclear to which stage previous cases may have been coded.

Code	Description	TNM	SS77	SS2000
00	In situ: preinvasive; noninvasive; intraepithelial Cancer in situ FIGO Stage 0	Tis	IS	IS
10	FIGO Stage I not further specified Invasive cancer confined to corpus uteri	T1NOS	L	L
11	Confined to endometrium (stroma) FIGO Stage IA	T1a	L	L
12	Tumor invades less than one-half of myometrium Invasion of inner half of myometrium FIGO Stage IB	T1b	L	L
13	Tumor invades one-half or more of myometrium Invasion of outer half of myometrium FIGO Stage IC	T1c	L	L
14	Invasion of myometrium, NOS	T1NOS	L	L
16	Tunica serosa of visceral peritoneum (serosa covering the corpus)	T1NOS	L	L

40	Localized, NOS	T1NOS	L	L
50	Cervix uteri, NOS, but not beyond uterus FIGO Stage II, NOS	T2NOS	RE	RE
51	Endocervical glandular involvement only FIGO Stage IIA	T2a	RE	RE
52	Cervical stromal invasion FIGO Stage IIB	T2b	RE	RE
60	Extension or metastasis within true pelvis: Adnexa Fallopian tube(s) Ligaments: Broad, round, uterosacral Ovary(ies) Parametrium Pelvic serosa Tunica serosa (parietal lining of the pelvis or abdominal cavity) FIGO Stage IIIA FIGO Stage III, NOS	T3a	RE	RE
61	Cancer cells in ascites Cancer cells in peritoneal washings FIGO Stage IIIA	T3a	RE	RE
62	Ureter and vulva	T3a	D	RE
64	Extension or metastasis to vagina FIGO Stage IIIB	T3b	D	RE
65	Extension or metastasis to pelvic wall(s) Described clinically as "frozen pelvis", NOS FIGO Stage IIIB	T3b	RE	RE
66	Extension or metastasis to: Bladder wall Bladder, NOS excluding mucosa Rectal wall Rectum, NOS excluding mucosa FIGO Stage IIIB	T3b	RE	RE
67	[(65) or (66)] and [(62) or (64)]	T3b	D	RE
70	Extension to bowel mucosa or bladder mucosa (excluding bullous edema) FIGO Stage IVA FIGO Stage IV, NOS	T4	D	D

80	Further contiguous extension Abdominal serosa (peritoneum) Cul de sac Sigmoid colon Small intestine	T4	D	D
95	No evidence of primary tumor	T0	U	U
99	Unknown extension Primary tumor cannot be assessed Not documented in patient record	TX	U	U

Corpus Uteri; Uterus, NOS (excluding Placenta)**CS TS/Ext-Eval****SEE STANDARD TABLE**

NOTE: For this primary site code CS Tumor Size/Ext Eval on the basis of the CS Extension field only.

Corpus Uteri; Uterus, NOS (excluding Placenta)**CS Lymph Nodes (Revised: 08/15/2006)**

Note 1: Code only regional nodes and nodes, NOS, in this field. Distant nodes are coded in the field Mets at DX.

Note 2: If the clinician says "adnexa palpated" but doesn't mention lymph nodes, assume lymph nodes are not involved.

Note 3: If either exploratory/definitive surgery is done with no mention of lymph nodes, assume nodes are negative.

Note 4: Regional nodes include bilateral and contralateral involvement of named nodes.

Code	Description	TNM	SS77	SS2000
00	No regional lymph node involvement	N0	NONE	NONE
10	Regional lymph node(s): Iliac, NOS: Common External Internal (hypogastric) Obturator Paracervical Parametrial Pelvic, NOS Sacral, NOS: Lateral (laterosacral) Middle (promontorial) (Gerota's node) Presacral Uterosacral	N1	RN	RN
20	Regional lymph node(s): Aortic, NOS:	N1	RN	RN

20 cont'd	Lateral (lumbar) Para-aortic Periaortic	N1	RN	RN
50	Regional lymph node(s): FIGO Stage IIIC, NOS	N1	RN	RN
80	Regional lymph node(s), NOS	N1	RN	RN
99	Unknown; not stated Regional lymph node(s) cannot be assessed Not documented in patient record	NX	U	U

Corpus Uteri; Uterus, NOS (excluding Placenta)**Reg LN Pos****SEE STANDARD TABLE****Corpus Uteri; Uterus, NOS (excluding Placenta)****Reg LN Exam****SEE STANDARD TABLE****Corpus Uteri; Uterus, NOS (excluding Placenta)****CS Mets at DX (Revised: 05/06/2004)**

Code	Description	TNM	SS77	SS2000
00	No; none	M0	NONE	NONE
11	Distant lymph node(s): Superficial inguinal	M1	RN	D
12	Distant lymph node(s) other than code 11: Deep inguinal, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal) Distant lymph node(s), NOS	M1	D	D
40	Distant metastases, except distant lymph node(s) (codes 11-12) Distant metastasis, NOS Carcinomatosis Stage IVB Stage IV, NOS	M1	D	D

50	(40) + any of [(11) or (12)] Distant lymph node(s) plus other distant metastases	M1	D	D
99	Unknown if distant metastasis Distant metastasis cannot be assessed Not documented in patient record	MX	U	U

Site Specific Surgery Codes**Corpus Uteri****C540–C559**

(Except for M9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

[SEER Note: Do not code dilation and curettage as Surgery of Primary Site for invasive cancers]

Codes

00 None; no surgery of primary site; autopsy ONLY

19 Local tumor destruction or excision, NOS

Unknown whether a specimen was sent to pathology for surgical events coded 19 (principally for cases diagnosed prior to January 1, 2003)

10 Local tumor destruction, NOS

11 Photodynamic therapy (PDT)

12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)

13 Cryosurgery

14 Laser

15 Loop Electrocautery Excision Procedure (LEEP)

16 Thermal ablation

No specimen sent to pathology from surgical events 10–16

20 Local tumor excision, NOS; simple excision, NOS

24 Excisional biopsy

25 Polypectomy

26 Myomectomy

Any combination of 20 or 24–26 WITH

21 Electrocautery

22 Cryosurgery

23 Laser ablation or excision

[SEER Note: Codes 21 to 23 above combine 20 Local tumor excision, 24 Excisional biopsy, 25 Polypectomy, or 26 Myomectomy with 21 Electrocautery, 22 Cryosurgery or 23 Laser ablation or excision]

Specimen sent to pathology from surgical events 20–26

[SEER Note: Margins of resection may have microscopic involvement]

30 Subtotal hysterectomy/supracervical hysterectomy/fundectomy WITH or WITHOUT removal of tube(s) and ovary(ies)

31 WITHOUT tube(s) and ovary(ies)

32 WITH tube(s) and ovary(ies)

[SEER Note: For these procedures, the cervix is left in place]

40 Total hysterectomy (simple, pan-) WITHOUT removal of tube(s) and ovary(ies)
Removes both the corpus and cervix uteri. It may also include a portion of the vaginal cuff.

- 50 Total hysterectomy (simple, pan-) WITH removal of tube(s) and/or ovary(ies)
Removes both the corpus and cervix uteri. It may also include a portion of the vaginal cuff
- 60 Modified radical or extended hysterectomy; radical hysterectomy; extended radical hysterectomy
- 61 Modified radical hysterectomy
- 62 Extended hysterectomy
- 63 Radical hysterectomy; Wertheim procedure
- [SEER Note: Use code 63 for "Type III" hysterectomy]
- 64 Extended radical hysterectomy
- 65 Hysterectomy, NOS, WITH or WITHOUT removal of tube(s) and ovary(ies)
- 66 WITHOUT removal of tube(s) and ovary(ies)
- 67 WITH removal of tube(s) and ovary(ies)
- 75 Pelvic exenteration
- 76 Anterior exenteration
Includes bladder, distal ureters, and genital organs WITH their ligamentous attachments and pelvic lymph nodes.
- [SEER Note: Do not code removal of pelvic lymph nodes under Surgical Procedure/Other Site]
- 77 Posterior exenteration
Includes rectum and rectosigmoid WITH ligamentous attachments and pelvic lymph nodes.
- [SEER Note: Do not code removal of pelvic lymph nodes under Surgical Procedure/Other Site]
- 78 Total exenteration
Includes removal of all pelvic contents and pelvic lymph nodes.
- [SEER Note: Do not code removal of pelvic lymph nodes under Surgical Procedure/Other Site]
- 79 Extended exenteration
Includes pelvic blood vessels or bony pelvis
- 90 Surgery, NOS
- 99 Unknown if surgery performed; death certificate ONLY